



PREMIUM INSTANT MARQUEES

We've got you covered.



NZ's leading specialist supplier of marquees





Premium Instant Marquees

Using world leading concepts and designs, Shedline's unparalleled range of Instant Marquee Systems are suited to fulfill your every requirement for portable shade and/or shelter anytime, anywhere.

Beneath the protection of a Shedline Instant Marquee:

- Events can be managed
- Goods can be displayed and traded
- Families & friends can gather and relax

Experience & Longevity

Our instant marquees have been used throughout Australasia since the early 1990's.

Product quality

Shedline Instant Marquees are produced according to the strictest criteria for quality. We are never satisfied and are setting new standards by continuing to refine our products. With Shedline, you are guaranteed advanced, innovative designs and a consistent, high level of quality.

Custom Branded Marquee Specialists

Branded marquees are our specialty. Our advanced and innovative branding methods, free mock-up concept designs and super-fast production lead times have seen our marquees become the preferred supplier for some of the biggest brands in Australasia.

Where we sell

You won't only find Shedline Instant Marquees in action throughout New Zealand we're also across Australia and the wider South Pacific region.

Warranty policy

All Shedline Instant Marquees carry extensive warranties on all materials and workmanship with frames warranted up to 8 years.

Contents

4-7	<i>Titan</i> Instant Marquee - Premium
8-11	<i>Promercial</i> Instant Marquee - Commercial
12-15	<i>Deluxe</i> Instant Marquee - Industrial
16	Accessories
17	Sidewalls
18	Colours
19	Fabrics / Product Warranties
20-21	Customised Graphics
22	Frame Construction
23	Dimensions / Weights

Titan

Premium Grade Aluminium Frame



CONVENIENCE PLUS

- Ingenious, simple folding system
- Set up in less than 60 seconds
- No tools required for set up
- Superb adaptability for both indoor and outdoor events of all types
- Compact for transport and storage
- Available in a range of sizes
- Can be positioned adjacent to another Titan when larger areas of shelter are required
- Has the addition of various functional accessories
- Offers the option of customised graphics

COMMON USES

- Sporting Events
- Animal & Pet Shows
- Camping & Beach Shade
- Market Stalls, Fairs & Gala Days
- Building Sites & Contractors
- Motorsports
- Emergency Services
- Maraes
- BBQ, Parties and Outdoor Dining

USEFUL FEATURES:

- Simple, and quick to setup in an *instant*
- Very compact to store
- Can be stored standing
- Easy to transport.
- Unlimited indoor and outdoor uses
- Effective advertising support tool
- Ideal presentation system
- Maximum effect for minimum expense
- 'One piece' frame
- No interfering center poles

SHELTER SIZES

2.4m x 2.4m
3.0m x 3.0m
3.0m x 4.5m
3.0m x 6.0m

PREMIUM GRADE ALUMINIUM EXTRUSION

*refer pages 22-23 for more information.



STANDARD ACCESSORIES:




ROOF CARRY BAG



4-6 Medium size steel Ground Pegs for Foot Plate anchoring (1 per leg)



4 Extra Large, Heavy-duty Steel Ground Pegs for guy rope anchoring (1 per corner)



INSTRUCTION SHEET



4X GUYING STRAPS

EASY SETUP


1




2



3



4




5



EASY SETUP




Patented pull-pin locking system ensures easy, finger safe set-up and collapsing.



Central Pivot design ensures a lifetime of durability.



Robust aluminium brackets compatible with the strength and quality of the rest of the frame.



Double layer of material at peak for extra wear resistance.



All seam points are double stitched for added strength and durability.



Advanced seam sealer strip applied to underside of all seams to ensure waterproofness.

Proven Design Features

Exclusive designs and patented features, engineered to promote smooth, easy operation plus lasting strength and durability – it's the details that make the difference.

Twin internal ribs in all strut bars for increased strength.



Robust anodized aluminium welded Foot Plate delivers greater grounding ability for superior stability and safety. Holes provided for ground pegs.



Patented pull-pin locking system offers easy leg height adjustment and leveling capability on uneven ground. Multiple settings for maximum height adjustment.



Additional buckled straps are positioned on the roof midway between each leg to help secure the roof to the frame and keep it tense.



50mm wide horizontal velcro strip on lower inside edge of roof to allow sidewalls and/or raingutters to be attached/removed in seconds.



Double layer of material at corners to minimize wear and tear.



Sturdy D-Rings offer additional tie-down security.



Promercial

Commercial Grade Aluminium Frame



SUPERIORITY PLUS

- #1 selling Shedline range
- Have added strengthening characteristics to achieve an extremely tough design
- Relatively lightweight but sturdy
- Available in three popular sizes
- Boasts a top quality, commercial grade, aluminium frame construction
- An ideal shelter solution for almost any commercial or personal requirement
- Has the added option of customised graphics and other functional accessories (refer pages 16-17)
- Widely proven as a potent and extremely successful marketing tool

USEFUL FEATURES:

- Simple, and quick to setup in an *instant*
- Compact to store
- No expert knowledge required
- Easy to transport
- Unlimited indoor & outdoor uses
- ‘One piece’ frame
- No interfering center poles
- Effective advertising support tool
- Ideal presentation system
- Maximum effect for minimum expense

COMMON USES

- Trade Exhibitions and Fielddays
- Schools, Kindergarten & Community Groups
- Hiring & Catering
- Corporate Functions
- Weddings
- Sporting Events & Clubs
- Motorsports
- Building Sites & Contractors
- Emergency Services

SHELTER SIZES

- 3.0m x 3.0m
- 3.0m x 4.5m
- 3.0m x 6.0m

COMMERCIAL GRADE ALUMINIUM EXTRUSION

*refer pages 22-23 for more information.



STANDARD ACCESSORIES:



ROOF CARRY BAG



4-6 Medium size steel Ground Pegs for Foot Plate anchoring (1 per leg)



4 Extra Large, Heavy-duty Steel Ground Pegs for guy rope anchoring (1 per corner)



INSTRUCTION SHEET



4X GUYING STRAPS

EASY SETUP

1



2



3



4



5



EASY SETUP

EXTRA
STRONG
TWIN RIB
REINFORCED
STRUTS

6
YEAR
FRAME
WARRANTY



Patented pull-pin locking system ensures easy, finger safe set-up and collapsing



Central Pivot design ensures a lifetime of durability.



Heavy Duty Aluminium brackets compatible with the strength and quality of the rest of the frame.



Double layer of material at peak for extra wear resistance.




All seam points are double stitched for added strength and durability.




Advanced seam sealer strip applied to underside of all seams to ensure waterproofness.

Proven Design Features

An Instant Marquee designed and constructed with premium grade materials, ideally suited to withstand demanding conditions.



Patented pull-pin locking system offers easy leg height adjustment and leveling capability on uneven ground. Multiple settings for maximum height adjustment.



Robust anodized aluminium welded Foot Plate delivers greater grounding ability for superior stability and safety. Holes provided for ground pegs.



Additional buckled straps are positioned on the roof midway between each leg to help secure the roof to the frame and keep it tense.



Twin internal ribs in all strut bars for increased strength.



Sturdy peak pole design compatible with the quality of the rest of the frames.



50mm wide horizontal velcro strip on lower inside edge of roof to allow sidewalls and/or raingutters to be attached/removed in seconds.



Double layer of material at corners to minimize wear and tear.



Sturdy D-Rings offer additional tie-down security.



Deluxe

Industrial Grade Aluminium Frame



SUPERIORITY PLUS

- Ingenious simple shedline concertina folding frame system
- The benefits of the other shedline ranges with added strength and larger sizes
- Constructed using extra heavy duty materials
- Extremely robust for all ranges of shelter application
- Outstanding strength and durability
- Top quality aluminium for all primary frame
- The weight of the frame is kept to a minimum without compromising its strength in any way
- A durable 500 denier polyester roof makes the deluxe instant marquee in a distinct class of its own
- The deluxe offers unparalleled shelter instantly in almost any situation

COMMON USES	
• Hiring & Catering	• Corporate Functions
• Trade Exhibitions & Fielddays	• Cafés & Restaurants
• Building Sites & Contractors	• BBQ, Parties and Outdoor Dining
• Emergency Services	• Maraes
• Motorsports	• Weddings
• Sporting Events	

USEFUL FEATURES:

- Simple, easy setup in an extremely short time
- Compact to store
- No expert knowledge required
- Easy to transport
- Unlimited indoor and outdoor uses
- ‘One piece’ frame
- No interfering centre poles
- Effective advertising support tool
- Ideal presentation system
- Maximum effect for minimum expense

SHELTER SIZES
3.0m x 3.0m
3.0m x 4.5m
3.0m x 6.0m
4.0m x 8.0m

HEAVY - DUTY INDUSTRIAL GRADE ALUMINIUM EXTRUSION

*refer pages 22-23 for more information.



STANDARD ACCESSORIES:



ROOF BAG



4-6 MEDIUM SIZE STEEL GROUND PEGS FOR FOOT PLATE ANCHORING (1 PER LEG)



4 EXTRA LARGE, HEAVY-DUTY STEEL GROUND PEGS FOR GUY ROPE ANCHORING (1 PER CORNER)



INSTRUCTION SHEET




GUYING STRAPS

EASY SETUP






Patented pull-pin locking system offers easy leg height adjustment and leveling capability on uneven ground. Multiple settings for maximum height adjustment.



Central Pivot design ensures a lifetime of durability.



Heavy Duty Aluminium brackets compatible with the strength and quality of the rest of the frame.



Double layer of material at peak for extra wear resistance




All seam points are double stitched for added strength and durability



Advanced seam sealer strip applied to underside of all seams to ensure waterproofness

Proven Design Features

Based on the same ingeniously simple Shedline concertina folding frame system, these superior Deluxe Instant Marquees offer all the benefits of the other models but with greatly enhanced strength and larger sizes.



Patented pull-pin locking system offers easy leg height adjustment and leveling capability on uneven ground. Multiple settings for maximum height adjustment.



Robust anodized aluminium welded Foot Plate delivers greater grounding ability for superior stability and safety. Holes provided for ground pegs.



Additional buckled straps are positioned on the roof midway between each leg to help secure the roof to the frame and keep it tense.





Twin internal ribs in all strut bars for increased strength.



Sturdy peak pole design compatible with the quality of the rest of the frames.



50mm wide horizontal velcro strip on lower inside edge of roof to allow sidewalls and/or raingutters to be attached/removed in seconds.



Double layer of material at corners to minimize wear and tear.



Sturdy D-Rings offer additional tie-down security.



Accessories



Frame Carry Bag
Strong carry bag with handles and full length zipper to contain frame. Bag end zips off also. Makes for easy transportation and storage.



Sidewall & Accessories Carry Bag
Strong PVC bag with handles and full length zipper to contain sidewalls and other accessories. Makes for easy transport.



PVC Sand Bag (supplied full)
Helps to anchor marquee on all surface areas including concrete where ground pegs cannot be used. Strap handle for ease of carrying and for guy roping marquee to. Supplied full.



Leg Wrap Sand Bag (supplied empty)
Useful for anchoring the marquee in conditions where space is limited especially in public areas where guy ropes may present a hazard. Supplied empty.



Steel Footplate Anchoring Weight
Fits over footpad at base of marquee leg. Also has screw eye anchoring point for guy roping marquee to. Weighs 15kg.



Rain Gutter
Allows for the drainage of rainwater to outside the covered area when two or more Instant Marquees are used adjacent to each other.

Sidewall Options

All Side walls are available in a wide range of both sizes and colours.

SIDE WALL (STANDARD)

Offering extra protection from sun, wind, rain and privacy.



SIDE WALL (WITH WINDOW)

Offers the same advantages as the standard side wall PLUS allows greater visibility and extra light.



SIDE WALL (WITH ZIP DOOR)

Allows flexible access in/out through side wall, and greater privacy and shelter.



Colours

TAKE YOUR PICK...

All Polyester Roofs and Sidewalls are available in sixteen different colours. Many of these colours are available ex-stock. Any other non-stock colours are available on request (subject to availability).

		White	Beige PMS 1205C	Yellow PMS 123c	Orange PMS 1655c	Red PMS 186c	Green PMS 348c	Blue PMS 293c	Grey PMS 430c
ROOFS	2.4m x 2.4m	✉	✉	✉	✉	✉	✉	✉	✉
	3.0m x 3.0m	✔	✉	✉	✉	✔	✔	✔	✉
	3.0m x 4.5m	✔	✉	✉	✉	✔	✔	✔	✉
	3.0m x 6.0m	✔	✉	✉	✉	✔	✔	✔	✉
	4.0 x 8.0m	✔	✉	✉	✉	✔	✉	✔	✉
SIDEWALLS	2.4m	✉	✉	✉	✉	✉	✉	✉	✉
	3.0m	✔	✉	✉	✉	✔	✔	✔	✉
	4.0m	✔	✉	✉	✉	✔	✉	✔	✉
	4.5m	✔	✉	✉	✉	✔	✔	✔	✉
	6.0m	✔	✉	✉	✉	✔	✔	✔	✉
	8.0m	✉	✉	✉	✉	✉	✉	✉	✉

		Black	Dark Green PMS 3308c	Navy PMS 2767c	Bright Yellow PMS 109c
ROOFS	2.4m x 2.4m	✉	✉	✉	✉
	3.0m x 3.0m	✔	✔	✔	✉
	3.0m x 4.5m	✔	✔	✔	✉
	3.0m x 6.0m	✔	✔	✔	✉
	4.0 x 8.0m	✉	✉	✉	✉
SIDEWALLS	2.4m	✉	✉	✉	✉
	3.0m	✔	✔	✔	✉
	4.0m	✉	✉	✉	✉
	4.5m	✔	✔	✔	✉
	6.0m	✔	✔	✔	✉
	8.0m	✉	✉	✉	✉

✔ Stock Colour ✉ Available on request (may incur surcharges)

Fabrics

Premium Close-mesh Polyester

All standard Shedline Instant Marquee Roofs and Sidewalls are manufactured from Premium Close-mesh Polyester fabric.

The exceptional all-round qualities of this premium, low maintenance fabric include:

- Fire retardancy
- Water proof
- Excellent printing characteristics (Spot and Full colour)
- 100% U/V Protection* (Rated UPF 50+)

Note: Commercial grade PVC is also available for Promercial and Deluxe Instant Marquees only.
This is available in a range of colours.

*Actual test results 99.84 – 99.97% U/V Blockout

Product Warranties

WARRANTIES

Shedline Instant Marquees are reputed for their robust construction and their consistent, ongoing reliability. All models carry warranties against material flaws in both the frame structure and the roof and sidewall fabrics (conditions apply).

TITAN

3

YEAR

FRAME WARRANTY

PROMERCIAL

6

YEAR

FRAME WARRANTY

DELUXE

8

YEAR

FRAME WARRANTY

PROMOTE YOUR COMPANY, BRAND, PRODUCT.

Roofs and sidewalls can be easily printed to transform your marquee into an effective marketing tool whenever and wherever it is deployed. A custom branded marquee will.

Promote your business with individuality

- Ensure you stand out from the crowd.
- Attract attention



“ We were concerned about the need for a strong marquee to use at the national field days. Having purchased the Shedline Promercial, we were amazed at its quality standing up to the windy storm experienced on the first day, it performed to perfection. Promax Plastics ”



“ I just want to thank you for the marquee, it is great and we have had lot of positive comments about it. The quality is superb, the printing effective and I recommend your company and product to anyone who is interested in a marquee. A pleasure to do business with you. Hughes Transport ”

Frame Extrusion shown in actual size:

	Model			
TITAN	Premium Grade Aluminium Extrusion			
PROMERCIAL	Commercial Grade Aluminium Extrusion			
DELUXE	Heavy Duty Industrial Grade Aluminium Extrusion			

	TITAN		PROMERCIAL		DELUXE	
2.4m x 2.4m	Collapsed Frame Size	1570 x 220 x 220	N/A		N/A	
	Max. Height					
	Ground to Peak:	3350mm				
	Head Clearance:	2050mm				
	Weight					
	Frame	19 kg				
	Roof	5 kg				
3.0m x 3.0m	Collapsed Frame Size	1590 x 260 x 260	Collapsed Frame Size	1590 x 200 x 270	Collapsed Frame Size	1590 x 325 x 325
	Max. Height		Max. Height		Max. Height	
	Ground to Peak:	3340mm	Ground to Peak:	3340mm	Ground to Peak:	3330mm
	Head Clearance:	2090mm	Head Clearance:	2090mm	Head Clearance:	2080mm
	Weight		Weight		Weight	
	Frame	19 kg	Frame	26 kg	Frame	30 kg
	Roof	6 kg	Roof	6 kg	Roof	6 kg
3.0m x 4.5m	Collapsed Frame Size	1590 x 260 x 360	Collapsed Frame Size	1590 x 270 x 380	Collapsed Frame Size	1590 x 325 x 450
	Max. Height		Max. Height		Max. Height	
	Ground to Peak:	3340mm	Ground to Peak:	3340mm	Ground to Peak:	3330mm
	Head Clearance:	2090mm	Head Clearance:	2090mm	Head Clearance:	2080mm
	Weight		Weight		Weight	
	Frame	23 kg	Frame	36 kg	Frame	40 kg
	Roof	8 kg	Roof	8 kg	Roof	8 kg
3.0m x 6.0m	Collapsed Frame Size	1590 x 400 x 220	Collapsed Frame Size	1590 x 270 x 460	Collapsed Frame Size	1590 x 325 x 580
	Max. Height		Max. Height		Max. Height	
	Ground to Peak:	3340mm	Ground to Peak:	3340mm	Ground to Peak:	3330mm
	Head Clearance:	2090mm	Head Clearance:	2090mm	Head Clearance:	2080mm
	Weight		Weight		Weight	
	Frame	34 kg	Frame	49 kg	Frame	53 kg
4.0m x 8.0m	N/A		N/A		Collapsed Frame Size	2060 x 325 x 580
					Max. Height	
					Ground to Peak:	3850mm
					Head Clearance:	2150mm
					Weight	
					Frame	65 kg
					Roof	16 kg

All sizes and dimensions are subject to change without notice.



PREMIUM INSTANT MARQUEES

shedline.co.nz

© Copyright 2019 Unicrest Group Ltd

